

View Online at <https://aerobasegroup.com/nsn/5950-00-648-4636>

**Reliability Indicator:**

Not established

**Mounting Hole Diameter:**

0.188 inches single group

**Frequency Rating:**

50.0 hertz single component or 60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Body Length:**

3.312 inches

**Body Width:**

2.000 inches

**Body Height:**

1.938 inches

**Distance Between Mounting Facility Centers:**

2.812 inches single mounting facility single center group

**End Application:**

Low pressure (lp) dry air-dehydrators, oliver perry class ffg, austin ship class lpd-4 amphibious transport docks, supply class aoe, blue ridge class aoe, blue ridge class lcc-19, milstar system, nimitz class cvn, I.P. Compressors, aircraft, c-2a (reprocured)

**Inclosure Type:**

Open

**Mounting Facility Quantity:**

2 single group

**Mounting Method:**

Unthreaded hole single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Winding Operating Current:**

3.0 amperes ac single component single secondary

**Criticality Code Justification:**

Feat

**Winding Operating Voltage:**

5.00 ac volts single component single secondary

**Special Features:**

Weapons system essential

**Terminal Type And Quantity:**

5 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0