NSN 5950-00-648-5212

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-648-5212
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
4.375 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.500 inches single mounting facility single center group
Frequency Rating:
400.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to core single component
Body Length:
4.969 inches
Body Width:
5.938 inches
Body Height:
6.188 inches
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 2 secondary single component
Thready Qty Per Inch (tpi):
20 single group
Thread Size:
0.250 inches single group
Winding Operating Current:
44.0 milliamperes ac single component 1st secondary
Winding Operating Voltage:
245.00 ac volts single component 2nd secondary and 915.00 ac volts single component 2nd secondary and 1.16 ac kilovolts single
component 2nd secondary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
10 standoff, solder lug
Shelf Life:
N/a

--

Unit Of Measure:

NSN 5950-00-648-5212

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0