NSN 5950-00-648-5212

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-648-5212

Reliability Indicator: Not established Center To Center Distance Between Mounting Facilities Parallel To Length: 4.375 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 3.500 inches single mounting facility single center group **Frequency Rating:** 400.0 hertz single component Input-output Phase Relationship: Single phase to single phase single component Winding Shielding Method: Internal shield grounded to core single component **Body Length:** 4.969 inches **Body Width:** 5.938 inches **Body Height:** 6.188 inches Inclosure Type: Fully enclosed **Mounting Facility Quantity:** 4 single group **Mounting Method:** Threaded stud single group Winding Function And Quantity: 1 primary single component and 2 secondary single component Thready Qty Per Inch (tpi): 20 single group **Thread Size:** 0.250 inches single group Winding Operating Current: 44.0 milliamperes ac single component 1st secondary Winding Operating Voltage: 245.00 ac volts single component 2nd secondary and 915.00 ac volts single component 2nd secondary and 1.16 ac kilovolts single component 2nd secondary **Thread Series Designator:** Unc single group **Terminal Type And Quantity:** 10 standoff, solder lug Shelf Life:

N/a

Unit Of Measure:

NSN 5950-00-648-5212

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

