

View Online at <https://aerobasegroup.com/nsn/5950-00-648-5356>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.484 inches single mounting facility single center group and 2.516 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.359 inches single mounting facility single center group and 2.391 inches single mounting facility single center group

Overall Height:

5.141 inches

Frequency Rating:

50.0 hertz single component or 60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

88.0 volt-ampere single component

Winding Shielding Method:

Internal shield grounded to core single component

Body Length:

Between 3.359 inches and 3.391 inches

Body Width:

Between 3.234 inches and 3.266 inches

Body Height:

Between 4.734 inches and 4.766 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Thread Size:

0.190 inches single group

Winding Operating Current:

10.0 amperes ac single component all secondary

Winding Power Rating:

63.0 volts-amperes single component 2nd secondary

Winding Operating Voltage:

6.30 ac volts single component 2nd secondary

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

7 standoff, threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0