

View Online at <https://aerobasegroup.com/nsn/5950-00-648-5790>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

5.750 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.875 inches single mounting facility single center group

Frequency Rating:

50.0 hertz or 60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

8.250 inches

Body Width:

4.750 inches

Body Height:

7.375 inches

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange and unthreaded hole single group

Winding Function And Quantity:

1 primary and 1 secondary single component

Winding Operating Current:

1.2 amperes ac single component single secondary

Winding Operating Voltage:

70.00 ac volts and 85.00 ac volts and 95.00 ac volts and 105.00 ac volts and 115.00 ac volts and 125.00 ac volts and 190.00 ac volts and 210.00 ac volts and 230.00 ac volts and 250.00 ac volts single component single primary

Terminal Type And Quantity:

19 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0