NSN 5950-00-648-6132

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-648-6132

Rε	lia	bili	ty	Ind	icate	or:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.688 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.438 inches single mounting facility single center group

Frequency Rating:

50.0 hertz single component and 60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

2.312 inches

Body Width:

2.062 inches

Body Height:

3.125 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

2 primary single component and 2 secondary single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.138 inches single group

Winding Operating Current:

20.0 milliamperes dc single component 2nd secondary

Winding Operating Voltage:

6.30 ac pounds per hour wet single component 1st secondary

Special Features:

Case steel material

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

8 tab, solder lug

Specification Or Standard:

A class and 1 grade

Shelf Life:

N/a

NSN 5950-00-648-6132Power Transformer - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

Demilitarization:

No

Fiig:

A058b0