

View Online at <https://aerobasegroup.com/nsn/5950-00-648-6342>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.375 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.500 inches single mounting facility single center group

Frequency Rating:

50.0 hertz single component and 60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

7.000 inches

Body Width:

5.250 inches

Body Height:

7.406 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary, variable autotransformer type single component

Thread Qty Per Inch (tpi):

18 single group

Thread Size:

0.312 inches single group

Winding Power Rating:

1.0 kilovolt-amperes single component single primary input

Winding Operating Voltage:

110.00 ac volts single component single primary input and 220.00 ac volts single component single primary input

Special Features:

Case metal material, 0.875 in. O/a h of terminals

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

3 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0