

View Online at <https://aerobasegroup.com/nsn/5950-00-648-6488>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.656 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.656 inches single mounting facility single center group

Mounting Hole Diameter:

0.113 inches single group

Impedance Rating In Ohms:

320000.0 single component single secondary

Frequency Rating:

30.0 hertz single component and 15.0 kilohertz single component

Maximum Transformer Power Rating:

10.0 decibels single component

Primary To Secondary Turn Ratio:

1 to 12-21/32 single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

2.000 inches

Body Outside Diameter:

1.665 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

75.0 milliamperes dc single component single primary

Terminal Type And Quantity:

4 connector, receptacle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0