## NSN 5950-00-648-6524

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-648-6524

## **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.375 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

1.125 inches single mounting facility single center group

### **Overall Height:**

2.750 inches

### **Frequency Rating:**

380.0 hertz single component and 420.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Body Length:**

1.900 inches

## **Body Width:**

1.650 inches

## **Body Height:**

2.250 inches

## **Maximum Operating Temp:**

130.0 degrees celsius

## Inclosure Type:

Hermetically sealed

## **Mounting Facility Quantity:**

4 single group

## **Mounting Method:**

Threaded hole single group

## **Winding Function And Quantity:**

1 primary single component and 2 secondary single component

#### Thready Qty Per Inch (tpi):

32 single group

#### **Thread Size:**

0.138 inches single group

## **Winding Operating Current:**

3.0 amperes ac single component 2nd secondary

## **Winding Operating Voltage:**

6.30 ac volts single component 1st secondary

## **Thread Series Designator:**

Unc single group

## **Terminal Type And Quantity:**

8 tab, solder lug

## Shelf Life:

N/a

# **NSN 5950-00-648-6524**Power Transformer - Page 2 of 2



			ure:	

Demilitarization:

No

Fiig:

A058b0