

View Online at <https://aerobasegroup.com/nsn/5950-00-648-7113>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

7.437 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.063 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

12.125 inches

Body Width:

5.125 inches

Body Height:

5.750 inches

Installation For Which Designed:

Indoor nonportable

Inclosure Type:

Open

Mounting Facility Quantity:

6 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

3 primary single component and 3 secondary single component

Winding Operating Current:

86.0 amperes ac single component all primary

Winding Operating Voltage:

450.00 ac pounds per hour with retaining chain single component single primary

Special Features:

Inside mtg holes 3.625 in. From holes on one end and 3.812 in. From holes on other end, c/o 3 inseparable current transformers

Terminal Type And Quantity:

4 terminal block w/screws and 4 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0