

View Online at <https://aerobasegroup.com/nsn/5950-00-655-0862>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.875 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.750 inches single mounting facility single center group

**Impedance Rating In Ohms:**

1000.0 single component single secondary

**Primary To Secondary Turn Ratio:**

1 to 4 single component

**Pulse Repetition Rate:**

400.0 hertz single component

**Body Length:**

4.812 inches

**Body Width:**

3.688 inches

**Body Height:**

5.625 inches

**Inclosure Type:**

Hermetically sealed with oil

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thready Qty Per Inch (tpi):**

20 single group

**Thread Size:**

0.250 inches single group

**Winding Operating Current:**

16.0 amperes ac single component single secondary

**Special Features:**

Filament secondary winding 8.06 output 1.5 amp output 115 v primary winding voltage 400 cycles

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

8 solder stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0