NSN 5950-00-660-9504

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-660-9504

D	ام	ia	h	ii	i٤٠	, 1	ın	ч	i	са	4	_	r	
к	еı	ıα	D	Ш	IŪ	7 I	Ш	u	ı	Ca	ш	υ	Г	

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.673 inches single mounting facility single center group and 1.703 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.423 inches single mounting facility single center group and 1.453 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

2.327 inches

Body Width:

2.077 inches

Body Height:

3.140 inches

End Application:

Ta-ja, p-3 orion, a-6e intruder aircraft.

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

8.0 amperes ac single component single secondary

Winding Power Rating:

60.0 volts-amperes single component single secondary

Criticality Code Justification:

Feat

Winding Operating Voltage:

7.50 ac pounds per hour wet single component single secondary

Special Features:

Weapon system essential

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

4 wire lead

NSN 5950-00-660-9504

Power Transformer - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0