Radio Frequency Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-671-6819

Reliability Indicator: Not established **Turn Quantity:** 30 single component single secondary **Inductance Rating:** 5.00 microhenries single component single secondary **Frequency Rating:** 790.0 kilohertz single component **Coil Form Type:** Hollow single component Adjustment Device Drive Type: Slotted screw single component **Body Length:** 2.125 inches **Body Width:** 1.000 inches **Body Height:** 1.000 inches **Distance Between Mounting Facility Centers:** 1.375 inches single mounting facility single center group **Inclosure Type:** Fully enclosed **Mounting Facility Quantity:** 2 single group **Mounting Method:** Threaded hole single group **Rating Method:** Electrical single component single primary and winding turns single component single primary Winding Function And Quantity: 1 primary single component and 1 secondary single component Thready Qty Per Inch (tpi): 32 single group

Thread Size:

0.138 inches single group

Winding Conductor Size:

0.00397 inches american wire gage single component single primary

Adjustment Method And Quantity:

1 adjustable core single component

Special Features:

One 220 uuf capacitor, one 22000 ohm resistor, one variable resistor

Thread Series Designator:

Unc single group

Radio Frequency Transformer - Page 2 of 2



Terminal Type And Quantity:

6 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0