NSN 5950-00-672-5440

Power Transformer - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5950-00-672-5440



Thread Direction (non-core): Err-070 **Reliability Indicator:** Not established Center To Center Distance Between Mounting Facilities Parallel To Length: 1.375 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 1.250 inches single mounting facility single center group **Overall Height:** 2.813 inches **Frequency Rating:** 50.0 hertz or 60.0 hertz single component Input-output Phase Relationship: Single phase to single phase single component Winding Shielding Method: Internal shield grounded to inclosure single component **Body Length:** 1.750 inches **Body Width:** 1.625 inches **Body Height:** 2.438 inches Inclosure Type: Partially enclosed, double shell **Mounting Facility Quantity:** 4 single group **Mounting Method:** Threaded hole single group Winding Function And Quantity: 1 primary and 1 secondary single component Thready Qty Per Inch (tpi): 32 single group **Thread Size:** 0.138 inches single group Winding Operating Voltage: 110.00 ac volts and 120.00 ac volts single component single primary **Thread Series Designator:** Unc single group **Terminal Type And Quantity:** 6 turret Shelf Life: N/a

NSN 5950-00-672-5440

Power Transformer - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A058b0

