## NSN 5950-00-673-7759

Pulse Transformer - Page 1 of 1



| View Online at https://aerobasegroup.com/nsn/5950-00-673-7759             |
|---|
| Reliability Indicator:  |
| Not established   |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 3.000 inches single mounting facility single center group                 |
| Center To Center Distance Between Mounting Facilities Parallel To Width:  |
| 3.000 inches single mounting facility single center group                 |
| Mounting Hole Diameter:   |
| 0.031 inches single group   |
| Inductance Rating:  |
| 1.70 millihenries single component single secondary                       |
| Primary To Secondary Turn Ratio:  |
| 1 to 1 single component   |
| Pulse Repetition Rate:  |
| 2.0 megahertz single component  |
| Body Length:  |
| 0.688 inches  |
| Body Outside Diameter:  |
| 0.750 inches  |
| Inclosure Type:   |
| Hermetically sealed   |
| Mounting Facility Quantity:   |
| 4 single group  |
| Mounting Method:  |
| Flange single group and unthreaded hole single group                      |
| Winding Function And Quantity:  |
| 1 primary single component and 1 secondary single component               |
| Winding Operating Current:  |
| 250.0 milliamperes ac single component single secondary                   |
| Dc Resistance Rating In Ohms:   |
| 3.000 single component single secondary                                   |
| Terminal Type And Quantity:   |
| 4 wire lead   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |

Fiig:

A058b0