# NSN 5950-00-679-2351

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-679-2351

# **Reliability Indicator:**

Not established

# Center To Center Distance Between Mounting Facilities Parallel To Length:

1.000 inches single mounting facility single center group

# **Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.938 inches single mounting facility single center group

#### **Overall Height:**

1.516 inches

#### **Frequency Rating:**

400.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Winding Shielding Method:**

Internal shield grounded to inclosure and core and brought out to terminal single component

# **Body Length:**

1.531 inches

#### **Body Width:**

1.531 inches

# **Body Height:**

1.391 inches

# **Maximum Operating Temp:**

85.0 degrees celsius

#### **Inclosure Type:**

Hermetically sealed

# **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Threaded hole single group

#### **Winding Function And Quantity:**

1 primary single component and 2 secondary single component

# Thready Qty Per Inch (tpi):

40 single group

# **Thread Size:**

0.112 inches single group

# **Winding Operating Current:**

10.0 milliamperes ac single component 3rd secondary

# **Winding Operating Voltage:**

250.00 ac volts single component all secondary

# **Thread Series Designator:**

Unc single group

# **Terminal Type And Quantity:**

7 turret

# NSN 5950-00-679-2351

Power Transformer - Page 2 of 2



| _ |   |   |     | - |      |  |
|---|---|---|-----|---|------|--|
| C | h | Δ | Iŧ. |   | ife: |  |
|   |   |   |     |   |      |  |

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0