# NSN 5950-00-681-7098

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-681-7098

# **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.500 inches single mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

2.062 inches single mounting facility single center group

#### **Overall Height:**

2.844 inches

#### Frequency Rating:

50.0 hertz single component and 400.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Winding Shielding Method:**

Internal shield grounded to inclosure and core single component

#### **Body Length:**

3.375 inches

#### **Body Width:**

3.000 inches

# **Body Height:**

2.500 inches

# Inclosure Type:

Partially enclosed, double shell

#### **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Threaded stud single group

# **Winding Function And Quantity:**

2 primary single component and 4 secondary single component

#### Thready Qty Per Inch (tpi):

32 single group

#### **Thread Size:**

0.138 inches single group

# **Winding Operating Current:**

600.0 milliamperes ac single component 2nd secondary

# **Winding Operating Voltage:**

6.30 ac volts single component 3rd secondary

# **Thread Series Designator:**

Unc single group

# **Terminal Type And Quantity:**

13 wire lead

#### Shelf Life:

N/a

# **NSN 5950-00-681-7098**Power Transformer - Page 2 of 2



ш	ın	10	<i>(</i> )+	Measure:	

Demilitarization:

No

Fiig:

A058b0