NSN 5950-00-683-4429

Saturable Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-683-4429

Overall Length:
3.625 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.700 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.800 inches single mounting facility single center group
Overall Height:
2.215 inches
Overall Width:
2.308 inches
Frequency Rating:
400.0 hertz single component
Winding Shielding Method:
Internal shield grounded to inclosure single component
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
4 primary single component
Saturation Current Rating:
5.0 milliamperes
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.188 inches single group
Dc Resistance Rating In Ohms:
100.000 single component all control
Winding Operating Voltage:
300.00 ac volts single component all primary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
12 turret
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

NSN 5950-00-683-4429

Saturable Reactor - Page 2 of 2



Fiig:

A058b0