## NSN 5950-00-686-6225

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-686-6225

| Reliability Indicator:  |
|---|
| Not established   |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 4.000 inches single mounting facility single center group                 |
| Center To Center Distance Between Mounting Facilities Parallel To Width:  |
| 3.000 inches single mounting facility single center group                 |
| Frequency Rating:   |
| 50.0 hertz single component and 60.0 hertz single component               |
| Body Length:  |
| 3.875 inches  |
| Body Width:   |
| 5.250 inches  |
| Body Height:  |
| 4.625 inches  |
| Inclosure Type:   |
| Partially enclosed, double shell  |
| Mounting Facility Quantity:   |
| 4 single group  |
| Winding Function And Quantity:  |
| 1 primary single component and 3 secondary single component               |
| Winding Operating Current:  |
| 340.0 milliamperes ac single component 1st secondary                      |
| Winding Operating Voltage:  |
| 6.30 ac volts single component 3rd secondary                              |
| Terminal Type And Quantity:   |
| 10 wire lead  |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
| <del>_</del>  |
| Demilitarization:   |
| No  |
| Fiig:   |
| A058b0  |
|   |
|   |