## NSN 5950-00-688-6669

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-688-6669

Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.188 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.781 inches single mounting facility single center group
Mounting Hole Diameter:
0.166 inches single group
Inductance Type:
Fixed
Inductance Rating:
5.00 henry single component single winding
Body Length:
1.500 inches
Body Width:
1.880 inches
Body Height:
2.130 inches
Maximum Operating Temp:
85.0 degrees celsius
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Flange single group and unthreaded hole single group
Rating Method:
Electrical single component single winding
Winding Operating Current:
60.0 milliamperes dc single component single winding
Dc Resistance Rating In Ohms:
230.000 single component single winding
Special Features:
50000 ft maximum altitude to withstand 200 thermal shocks from -54 degree c to plus 55 degree c
Terminal Type And Quantity:
2 standoff, threaded stud
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5950-00-688-6669

Reactor - Page 2 of 2



em			

No

Fiig:

A058b0