# NSN 5950-00-688-6991

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-688-6991

Reliability	Indicator:
-------------	------------

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.859 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.297 inches single mounting facility single center group

**Overall Height:** 

4.875 inches

# Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

#### Input-output Phase Relationship:

Three phase to three phase single component

#### **Winding Shielding Method:**

Core grounded and brought out to terminal single component and grounded to inclosure and brought out to terminal single component

#### **Body Length:**

3.062 inches

**Body Width:** 

2.625 inches

#### **Body Height:**

4.250 inches

# **Maximum Operating Temp:**

130.0 degrees celsius

#### **Inclosure Type:**

Hermetically sealed

# **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Threaded hole single group

#### **Winding Function And Quantity:**

1 primary single component and 2 secondary single component

# Thready Qty Per Inch (tpi):

32 single group

# Thread Size:

0.164 inches single group

# **Winding Operating Current:**

15.0 amperes ac single component all secondary

# **Winding Operating Voltage:**

208.00 ac volts single component single primary

# **Thread Series Designator:**

Unc single group

# **Terminal Type And Quantity:**

12 threaded stud

# NSN 5950-00-688-6991

Power Transformer - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0