## NSN 5950-00-691-0603

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-691-0603

Reliability Indicator:
Not established
Overall Length:
8.250 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
5.000 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
6.880 inches single mounting facility single center group
Overall Height:
9.000 inches
Overall Width:
8.000 inches
Mounting Hole Diameter:
0.422 inches single group
Frequency Rating:
47.0 hertz single component and 53.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to core single component
Body Length:
8.250 inches
Body Width:
8.000 inches
Body Height:
9.000 inches
Inclosure Type:
Open
Mounting Facility Quantity:
4 single group
Mounting Method:
Flange single group and unthreaded hole single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Winding Operating Current:
178.0 milliamperes ac single component single secondary
Winding Operating Voltage:
2.35 ac kilovolts single component single secondary and 2.77 ac kilovolts single

2.35 ac kilovolts single component single secondary and 2.77 ac kilovolts single component single secondary and 3.19 ac kilovolts single component single secondary and 6.60 ac kilovolts single component single secondary

**Terminal Type And Quantity:** 

## 10 tab, solder lug

## Shelf Life:

## NSN 5950-00-691-0603

Power Transformer - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0

