## NSN 5950-00-691-4532

Radio Frequency Coil - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-691-4532

| Reliability Indicator:   |  |
|--|--|
| Not established  |  |
| Overall Length:  |  |
| 1.312 inches   |  |
| Turn Quantity:   |  |
| 5-3/4 single component single winding  |  |
| Inductance Rating:   |  |
| 1.50 millihenries single component single winding  |  |
| Coil Form Type:  |  |
| Hollow single component  |  |
| Core Construction:   |  |
| Powdered single component  |  |
| Adjustment Device Drive Type:  |  |
| Slotted screw single component   |  |
| Body Length:   |  |
| 0.312 inches   |  |
| Overall Diameter:  |  |
| 0.500 inches   |  |
| Inclosure Type:  |  |
| Fully enclosed   |  |
| Mounting Method:   |  |
| Clip single group  |  |
| Rating Method:   |  |
| Electrical single component single winding and winding turns single component single winding |  |
| Winding Conductor Size:  |  |
| 0.04030 inches american wire gage single component single winding                            |  |
| Winding Operating Current:   |  |
| 2.5 milliamperes dc single component single winding  |  |
| Dc Resistance Rating In Ohms:  |  |
| 0.004 single component single winding  |  |
| Adjustment Method And Quantity:  |  |
| 1 adjustable core single component   |  |
| Terminal Type And Quantity:  |  |
| 2 tab, solder lug  |  |
| Shelf Life:  |  |
| N/a  |  |
| Unit Of Measure:   |  |
|  |  |
| Demilitarization:  |  |
| No   |  |
| Fiig:  |  |
| A058b0   |  |
|  |  |