

View Online at <https://aerobasegroup.com/nsn/5950-00-701-0021>

**Reliability Indicator:**

Not established

**Impedance Rating In Ohms:**

60.0 single component single primary

**Frequency Rating:**

600.0 hertz single component

**Maximum Transformer Power Rating:**

13.0 milliwatts single component

**Primary To Secondary Turn Ratio:**

1 to 10 single component

**Winding Shielding Method:**

External inclosure single component

**Body Length:**

Between 1.250 inches and 1.312 inches

**Body Width:**

Between 1.250 inches and 1.312 inches

**Body Height:**

Between 1.625 inches and 1.750 inches

**Distance Between Mounting Facility Centers:**

1.250 inches single mounting facility single center group

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

2 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thread Qty Per Inch (tpi):**

32 single group

**Thread Size:**

0.138 inches single group

**Winding Operating Current:**

220.0 microamperes dc single component single primary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

6 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0