# NSN 5950-00-706-8728

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-706-8728

# **Reliability Indicator:**

Not established

# Center To Center Distance Between Mounting Facilities Parallel To Length:

2.750 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.750 inches single mounting facility single center group

#### Frequency Rating:

400.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Winding Shielding Method:**

Internal shield brought out to terminal single component

#### **Body Length:**

Between 3.490 inches and 3.510 inches

#### **Body Width:**

Between 2.865 inches and 2.885 inches

#### **Body Height:**

Between 4.240 inches and 4.260 inches

#### **Inclosure Type:**

Fully enclosed

# **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded stud single group

# **Winding Function And Quantity:**

1 primary single component and 9 secondary single component

# **Thread Size:**

0.190 inches single group

#### **Winding Operating Current:**

600.0 milliamperes ac single component all secondary

# **Winding Operating Voltage:**

68.00 ac volts single component 2nd secondary

# **Thread Series Designator:**

Unf single group

# **Terminal Type And Quantity:**

30 wire lead

# Shelf Life:

N/a

# **Unit Of Measure:**

--

#### **Demilitarization:**

No

# NSN 5950-00-706-8728

Power Transformer - Page 2 of 2



Fiig:

A058b0