## NSN 5950-00-709-9321

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-709-9321

Length:

Width:

| Reliability indicator:  |
|---|
| Not established   |
| Center To Center Distance Between Mounting Facilities Parallel To |
| 5.875 inches single mounting facility single center group         |
| Center To Center Distance Between Mounting Facilities Parallel To |
| 4.250 inches single mounting facility single center group         |
| Overall Height:   |
| 10.000 inches   |
| Inductance Type:  |
| Fixed   |
| Inductance Rating:  |
| 5.00 henry single component single winding                        |
| Body Length:  |
| 7.438 inches  |
| Body Width:   |
| 5.969 inches  |
| Body Height:  |
| 7.750 inches  |
| Winding Quantity:   |
| 1 single component  |
| Inclosure Type:   |
| Hermetically sealed   |
| Mounting Facility Quantity:                                       |
| 1 single group  |
| Mounting Method:  |
| Threaded stud single group  |
| Rating Method:  |
| Electrical single component single winding                        |
| Thready Qty Per Inch (tpi):                                       |
| 20 single group   |
| Thread Size:  |
| 0.250 inches single group   |
| Winding Operating Current:  |
| 1.0 amperes dc single component single winding                    |
| Thread Series Designator:   |
| Unc single group  |
| Terminal Type And Quantity:                                       |
| 2 standoff, threaded stud   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |

--

## NSN 5950-00-709-9321

Reactor - Page 2 of 2



| _  |    | •• | • • |     |     |   |    |
|----|----|----|-----|-----|-----|---|----|
| וו | em | ш  | 112 | rız | 211 | n | ٠. |
|    |    |    |     |     |     |   |    |

No

Fiig:

A058b0