Radio Frequency Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-710-1937

# Reliability Indicator:

Not established

#### **Turn Quantity:**

33.5 single component single primary

#### Mounting Hole Diameter:

0.125 inches single group

#### Inductance Rating:

16.10 microhenries single component single primary and 19.10 microhenries single component single primary

#### **Frequency Rating:**

2.0 megahertz single component and 4.0 megahertz single component

#### Coil Form Type:

Hollow single component

#### Adjustment Device Drive Type:

Slotted screw single component

#### Body Length:

1.375 inches

#### Body Outside Diameter:

0.500 inches

#### **Distance Between Mounting Facility Centers:**

0.875 inches single mounting facility single center group

## Inclosure Type:

Open

#### **Mounting Facility Quantity:**

2 single group

#### **Mounting Method:**

Flange single group and unthreaded hole single group

#### **Rating Method:**

Winding turns single component single primary and electrical single component single primary

#### Winding Function And Quantity:

1 primary single component

#### Winding Conductor Size:

0.00198 inches american wire gage single component single primary

#### Adjustment Method And Quantity:

1 adjustable core single component

#### **Terminal Type And Quantity:**

3 tab, solder lug

Shelf Life:

N/a

## Unit Of Measure:

--

#### Demilitarization:

No

# NSN 5950-00-710-1937

Radio Frequency Transformer - Page 2 of 2

Fiig: A058b0

