NSN 5950-00-710-1976

Radio Frequency Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-710-1976

Delicability in diseases
Reliability Indicator:
Not established
Turn Quantity:
7.5 single component single primary
Mounting Hole Diameter:
0.125 inches single group
Inductance Rating:
0.35 microhenries single component single primary and 0.72 microhenries single component single primary
Frequency Rating:
16.0 megahertz single component and 22.0 megahertz single component
Coil Form Type:
Hollow single component
Adjustment Device Drive Type:
Slotted screw single component
Body Length:
1.375 inches
Body Width:
0.750 inches
Body Height:
1.250 inches
Distance Between Mounting Facility Centers:
0.875 inches single mounting facility single center group
Inclosure Type:
Open
Mounting Facility Quantity:
2 single group
Mounting Method:
Flange single group and unthreaded hole single group
Rating Method:
Electrical single component single primary and winding turns single component single primary
Winding Function And Quantity:
1 primary single component
Winding Conductor Size:
0.03196 inches american wire gage single component single primary
Adjustment Method And Quantity:
1 adjustable core single component
Terminal Type And Quantity:
3 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:

NSN 5950-00-710-1976

Radio Frequency Transformer - Page 2 of 2



em			

No

Fiig:

A058b0