Radio Frequency Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-710-4590

Reliability Indicator: Not established Turn Quantity: 32-1/2 single component single primary Mounting Hole Diameter: 0.125 inches single group Inductance Rating: 13.90 microhenries single component single primary and 18.40 microhenries single component single primary Frequency Rating: 2.0 megahertz single component and 4.0 megahertz single component

Hollow single component

Adjustment Device Drive Type:

Slotted screw single component

Body Length:

1.375 inches

Body Outside Diameter:

0.500 inches

Distance Between Mounting Facility Centers:

0.875 inches single mounting facility single center group

Inclosure Type:

Open

Mounting Facility Quantity:

2 single group

Mounting Method:

Flange single group and unthreaded hole single group

Rating Method:

Electrical single component single primary and winding turns single component single primary

Winding Function And Quantity:

1 primary single component

Winding Conductor Size:

0.00198 inches american wire gage single component single primary

Adjustment Method And Quantity:

1 adjustable core single component

Terminal Type And Quantity:

3 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 5950-00-710-4590

Radio Frequency Transformer - Page 2 of 2

Fiig: A058b0

