## NSN 5950-00-711-8591

Pulse Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-711-8591
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
5.000 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.250 inches single mounting facility single center group
Impedance Rating In Ohms:
1000.0 single component all secondary
Primary To Secondary Turn Ratio:
4 to 41 to 1 single component
Pulse Repetition Rate:
700.0 hertz single component
Winding Shielding Method:
Internal shield grounded to inclosure and brought out to terminal single component
Body Length:
7.000 inches
Body Width:
5.250 inches
Body Height:
3.250 inches
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 2 secondary single component
Thready Qty Per Inch (tpi):
20 single group
Thread Size:
0.250 inches single group
Winding Operating Current:
26.0 amperes ac single component all secondary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
7 turret
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5950-00-711-8591

Pulse Transformer - Page 2 of 2



_		••	• •				
וו	em	ш	112	rız	211	n	٠.

No

Fiig:

A058b0