NSN 5950-00-715-2344

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-715-2344

Reliability Indicator: Not established Center To Center Distance Between Mounting Facilities Parallel To Length: 1.687 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 1.437 inches single mounting facility single center group **Frequency Rating:** 60.0 hertz single component Input-output Phase Relationship: Single phase to single phase single component Winding Shielding Method: Internal shield grounded to core and brought out to terminal single component **Body Length:** 2.312 inches **Body Width:** 2.062 inches **Body Height:** 3.125 inches Inclosure Type: Hermetically sealed **Mounting Facility Quantity:** 8 single group **Mounting Method:** Threaded hole single group Winding Function And Quantity: 1 primary single component and 1 secondary single component Thready Qty Per Inch (tpi): 32 single group **Thread Size:** 0.138 inches single group Winding Operating Current: 30.0 milliamperes ac single component single secondary Winding Operating Voltage: 115.00 ac volts single component single secondary **Thread Series Designator:** Unc single group **Terminal Type And Quantity:** 6 standoff, threaded stud Shelf Life: N/a Unit Of Measure: ---

NSN 5950-00-715-2344

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

