NSN 5950-00-724-2230

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-724-2230

Reliability Indicator:

Not established

Frequency Rating:

47.0 hertz single component and 63.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure and core single component

Body Length:

1.312 inches

Body Width:

1.312 inches

Body Height:

1.750 inches

Maximum Operating Temp:

105.0 degrees celsius

Distance Between Mounting Facility Centers:

1.250 inches single mounting facility single center group

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

2 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

200.0 milliamperes ac single component single secondary

Winding Power Rating:

150.0 milliwatts single component single secondary

Winding Operating Voltage:

7.00 ac volts single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

4 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

NSN 5950-00-724-2230

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

