NSN 5950-00-724-2264

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-724-2264

Deliekiliju Indicatoru
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.293 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.859 inches single mounting facility single center group
Frequency Rating:
380.0 hertz single component and 420.0 hertz single component
Input-output Phase Relationship:
Three phase to three phase single component
Transformer Winding Connection Type:
Delta-delta
Body Length:
3.062 inches
Body Width:
2.625 inches
Body Height:
4.250 inches
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Winding Function And Quantity:
1 primary single component and 2 secondary single component
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.164 inches single group
Winding Operating Current:
6.0 amperes ac single component 2nd secondary
Winding Operating Voltage:
25.00 ac volts single component 2nd secondary
Special Features:
Internal shield brought out to three separate terminals
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
12 standoff, threaded stud
Shelf Life:
N/a

NSN 5950-00-724-2264

Power Transformer - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A058b0

