NSN 5950-00-725-2232

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-725-2232
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
4.063 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.312 inches single mounting facility single center group
Frequency Rating:
60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure and core single component
Body Length:
5.063 inches
Body Width:
4.312 inches
Body Height:
5.500 inches
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 3 secondary single component
Thready Qty Per Inch (tpi):
20 single group
Thread Size:
0.250 inches single group
Winding Operating Current:
6.0 amperes ac single component all secondary
Winding Operating Voltage:
80.00 ac volts single component single primary and 110.00 ac volts single component single primary and 115.00 ac volts single component
single primary and 120.00 ac volts single component single primary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
13 tab, solder lug
Shelf Life:
N/a

Unit Of Measure:

NSN 5950-00-725-2232

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0