NSN 5950-00-725-7284

Reactor - Page 1 of 2



view Online at https://aerobasegroup.com/nsr//5950-00-725-7264
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.375 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.250 inches single mounting facility single center group
Overall Height:
3.188 inches
Inductance Type:
Swinging
Inductance Rating:
25.00 millihenries single component single winding and 200.00 millihenries single component single winding
Frequency Rating:
744.0 hertz single component and 856.0 hertz single component
Body Length:
1.938 inches
Body Width:
1.812 inches
Body Height:
2.438 inches
Maximum Operating Temp:
85.0 degrees celsius
Winding Quantity:
1 single component
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Rating Method:
Electrical single component single winding
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.138 inches single group
Winding Operating Current:
100.0 milliamperes dc single component single winding and 750.0 milliamperes dc single component single winding
Dc Resistance Rating In Ohms:
1.000 single component single winding
Thread Series Designator:

Unc single group

NSN 5950-00-725-7284

Reactor - Page 2 of 2



Terminal Type A	and Quantity	/:
-----------------	--------------	-----------

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0