

View Online at <https://aerobasegroup.com/nsn/5950-00-728-4614>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.750 inches 1st mounting facili type 1st center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.500 inches 1st mounting facili type 1st center group

Mounting Hole Diameter:

0.187 inches 1st group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

2.630 inches

Body Width:

2.460 inches

Body Height:

3.630 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 1st group

Mounting Method:

Unthreaded hole 1st group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.138 inches 2nd group

Winding Operating Current:

9.6 amperes ac single component single secondary

Winding Power Rating:

250.0 volts-amperes single component single secondary

Winding Operating Voltage:

26.00 ac volts single component single secondary

Thread Series Designator:

Unc 2nd group

Terminal Type And Quantity:

4 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0