## NSN 5950-00-729-2064

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-729-2064

## **Reliability Indicator:**

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

1.375 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

1.250 inches single mounting facility single center group

## **Overall Height:**

3.125 inches

## **Frequency Rating:**

400.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Body Length:**

1.937 inches

#### **Body Width:**

1.812 inches

## **Body Height:**

2.437 inches

## **Maximum Operating Temp:**

25.0 degrees celsius

## Inclosure Type:

Hermetically sealed

## **Mounting Facility Quantity:**

4 single group

## **Mounting Method:**

Threaded stud single group

## **Winding Function And Quantity:**

1 primary single component and 2 secondary single component

#### Thready Qty Per Inch (tpi):

32 single group

#### **Thread Size:**

0.138 inches single group

## **Winding Operating Current:**

300.0 milliamperes ac single component 2nd secondary

## **Winding Operating Voltage:**

30.00 ac volts single component 2nd secondary

## **Thread Series Designator:**

Unc single group

## **Terminal Type And Quantity:**

7 tab, solder lug

#### Shelf Life:

N/a

# NSN 5950-00-729-2064

Power Transformer - Page 2 of 2



|  | Of |  |  |  |
|--|----|--|--|--|

--

Demilitarization:

No

Fiig:

A058b0