## NSN 5950-00-730-1589

Current Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-730-1589

view Offiline at https://acrobasegroup.com/nsh/0350-00-750-1503
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.188 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.500 inches single mounting facility single center group
Mounting Hole Diameter:
0.187 inches single group
Frequency Rating:
50.0 hertz single component and 125.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Body Length:
3.719 inches
Body Width:
2.500 inches
Body Height:
4.250 inches
Installation For Which Designed:
Outdoor nonportable
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Flange single group and unthreaded hole single group
Winding Function And Quantity:
1 secondary single component
Winding Operating Current:
270.0 amperes ac single component single primary
Winding Operating Voltage:
600.00 ac pounds per hour with retaining chain single component single primary
Special Features:
Primary rated but not included
Terminal Type And Quantity:
2 threaded stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

## NSN 5950-00-730-1589

Current Transformer - Page 2 of 2



Fiig:

A058b0