## NSN 5950-00-732-8528

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-732-8528
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
5.250 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
4.875 inches single mounting facility single center group
Mounting Hole Diameter:
0.281 inches single group
Frequency Rating:
60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure and core single component
Body Length:
6.000 inches
Body Width:
5.625 inches
Body Height:
6.125 inches
Maximum Operating Temp:
75.0 degrees celsius
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Flange single group and unthreaded hole single group
Winding Function And Quantity:
1 primary single component and 3 secondary single component
Winding Operating Current:
24.0 amperes ac single component 2nd secondary
Winding Operating Voltage:
6.30 ac volts single component 2nd secondary and 7.00 ac volts single component 2nd secondary
Terminal Type And Quantity:
9 standoff, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

## NSN 5950-00-732-8528

Power Transformer - Page 2 of 2



Fiig:

A058b0