

View Online at <https://aerobasegroup.com/nsn/5950-00-732-8589>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.688 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.350 inches single mounting facility single center group

Overall Height:

2.660 inches

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

2.310 inches

Body Width:

2.060 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

500.0 milliamperes dc single component 2nd secondary

Winding Operating Voltage:

50.00 ac volts single component 2nd secondary and 60.00 ac volts single component 2nd secondary and 70.00 ac volts single component 2nd secondary and 85.00 ac volts single component 2nd secondary and 85.00 ac volts single component 2nd secondary and 100.00 ac volts single component 2nd secondary and 120.00 ac volts single component 2nd secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

16 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0