NSN 5950-00-738-6136

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-738-6136
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.437 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.812 inches single mounting facility single center group
Frequency Rating:
60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure single component
Body Length:
2.312 inches
Body Width:
2.062 inches
Body Height:
2.500 inches
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.164 inches single group
Winding Operating Voltage:
3.00 ac volts single component single primary and 8.00 ac volts single component single primary and 42.00 ac volts single component
single primary and 44.00 ac volts single component single primary and 46.00 ac volts single component single primary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
8 standoff, solder lug
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:

No

NSN 5950-00-738-6136

Power Transformer - Page 2 of 2



Fiig:

A058b0