NSN 5950-00-739-7148

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-739-7148

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.063 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

4.063 inches single mounting facility single center group

Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Wye-delta

Winding Shielding Method:

Internal shield grounded to inclosure and core and brought out to terminal single component

Body Length:

5.063 inches

Body Width:

5.063 inches

Body Height:

7.000 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Thready Qty Per Inch (tpi):

20 single group

Thread Size:

0.250 inches single group

Winding Operating Current:

60.0 amperes dc single component all secondary

Winding Power Rating:

500.0 milliwatts single component single primary

Winding Operating Voltage:

203.00 ac volts single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

11 standoff, threaded stud

NSN 5950-00-739-7148

Power Transformer - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0