

View Online at <https://aerobasegroup.com/nsn/5950-00-758-1893>

Reliability Indicator:

Not established

Transformer Function:

Output

Impedance Rating In Ohms:

62.5 single component single secondary and 150.0 single component single secondary and 250.0 single component single secondary and 600.0 single component single secondary

Frequency Rating:

50.0 hertz single component and 15.0 kilohertz single component

Maximum Transformer Power Rating:

20.0 decibels single component

Winding Shielding Method:

Internal shield grounded to inclosure and core single component

Body Length:

2.000 inches

Body Width:

1.625 inches

Body Height:

2.750 inches

Distance Between Mounting Facility Centers:

1.500 inches single mounting facility single center group

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

2 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.164 inches single group

Winding Operating Current:

5.0 milliamperes dc single component single primary

Special Features:

Case metal material

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

7 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0