

View Online at <https://aerobasegroup.com/nsn/5950-00-762-3152>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.546 inches single mounting facility single center group and 4.578 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.421 inches single mounting facility single center group and 3.453 inches single mounting facility single center group

Frequency Rating:

50.0 hertz single component or 60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

300.0 volt-ampere single component

Winding Shielding Method:

Core grounded single component

Body Length:

5.453 inches

Body Width:

4.390 inches

Body Height:

6.625 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.312 inches single group

Winding Operating Current:

12.6 amperes ac single component single secondary

Winding Operating Voltage:

57.00 ac volts single component single primary and 420.00 ac volts single component single primary and 440.00 ac volts single component single primary and 460.00 ac volts single component single primary and 480.00 ac volts single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

8 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0