

View Online at <https://aerobasegroup.com/nsn/5950-00-763-6766>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

6.500 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

4.187 inches single mounting facility single center group

Mounting Hole Diameter:

0.375 inches single group

Inductance Type:

Fixed

Inductance Rating:

4.00 henry single component single winding

Body Length:

5.750 inches

Body Width:

5.250 inches

Body Height:

7.250 inches

End Application:

Arsr-2, fa-7011 transmitter/modulator cabinet

Winding Quantity:

1 single component

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Operating Current:

300.0 milliamperes dc single component single winding

Dc Resistance Rating In Ohms:

400.000 single component single winding

Special Features:

65 kv dc input, 400 ohms; function, reactor, 4 hy, charging choke; reference data, I-101, instruction book arsr-2, vol 5, sec 10, pg 10-41

Terminal Type And Quantity:

2 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0