

View Online at <https://aerobasegroup.com/nsn/5950-00-763-8794>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.190 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.020 inches single mounting facility single center group

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield brought out to terminal single component

**Body Length:**

1.450 inches

**Body Width:**

1.320 inches

**Body Height:**

1.140 inches

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thready Qty Per Inch (tpi):**

40 single group

**Thread Size:**

0.112 inches single group

**Winding Operating Voltage:**

162.00 ac volts single component single secondary and 180.00 ac volts single component single secondary or 192.00 ac volts single component single secondary

**Test Data Document:**

03538-77c709208 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

7 tab, solder lug

**Reference Number Differentiating Characteristics:**

Test data document

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0