

View Online at <https://aerobasegroup.com/nsn/5950-00-764-1092>

Reliability Indicator:

Not established

Overall Height:

4.812 inches

Mounting Hole Diameter:

0.219 inches single group

Frequency Rating:

50.0 hertz single component and 60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure and core single component

Body Length:

4.031 inches

Body Width:

3.250 inches

Body Height:

4.250 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

6 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Center To Center Distance Between Mounting Facilities Parallel To The Base Of An Isosceles Triangle:

2.250 inches single mounting facility single center group

Winding Operating Current:

500.0 milliamperes ac single component 2nd secondary

Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

3.500 inches single mounting facility single center group

Winding Operating Voltage:

6.30 ac volts single component 2nd secondary

Terminal Type And Quantity:

7 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0