NSN 5950-00-776-3280

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-776-3280

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.719 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.375 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Wye-wye

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

4.320 inches

Body Width:

3.900 inches

Body Height:

2.500 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 5 secondary single component

Thread Size:

0.164 inches single group

Winding Operating Current:

5.25 amperes dc single component 2nd secondary

Winding Operating Voltage:

55.00 dc volts single component 2nd secondary

Special Features:

1 primary winding; 5 secondary windings

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

18 tab, solder lug

Shelf Life:

N/a

NSN 5950-00-776-3280Power Transformer - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

Demilitarization:

No

Fiig:

A058b0