

View Online at <https://aerobasegroup.com/nsn/5950-00-780-8708>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.125 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.500 inches single mounting facility single center group

Overall Width:

3.250 inches

Mounting Hole Diameter:

0.221 inches single group

Frequency Rating:

50.0 hertz single component and 400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

3.750 inches

Body Height:

1.500 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

5.0 milliamperes dc single component 1st secondary and 250.0 milliamperes dc single component 1st secondary

Winding Operating Voltage:

8.50 dc volts single component 1st secondary and 35.00 dc volts single component 1st secondary

Special Features:

All outputs are stated rectified

Terminal Type And Quantity:

9 wire hook

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0