## NSN 5950-00-781-5366

Power Transformer - Page 1 of 2

Reliability Indicator:

Not established



View Online at https://aerobasegroup.com/nsn/5950-00-781-5366

To Length:

To Width:

Overall Length:
2.800 inches
Center To Center Distance Between Mounting Facilities Parallel
2.530 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel
0.930 inches single mounting facility single center group
Overall Height:
1.100 inches
Overall Width:
1.200 inches
Mounting Hole Diameter:
0.135 inches single group
Frequency Rating:
400.0 hertz single component
Input-output Phase Relationship:
Three phase to single phase single component
Transformer Winding Connection Type:
Delta-delta
Winding Shielding Method:
Internal shield brought out to terminal single component
Maximum Operating Temp:
150.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Flange single group and unthreaded hole single group
Winding Function And Quantity:
1 primary single component and 3 secondary single component
Winding Operating Current:
60.0 milliamperes ac single component all secondary
Winding Operating Voltage:
26.00 ac volts single component all secondary
Terminal Type And Quantity:
11 solder stud
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5950-00-781-5366

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0